

2d: Treatment centres: Port Elizabeth

Ms Trixie Pereira

Table 59: Proportion of treatment episodes (Port Elizabeth)

	Jul-Dec 2002	Jan-Jun 2003	Jul-Dec 2003	Jan-Jun 2004	Jul-Dec 2004	Jan-Jun 2005	Jul-Dec 2005	Jan-Jun 2006	Jul-Dec 2006
	%	%	%	%	%	%	%	%	%
SANCA PE	92	83	83	87	85	80	66	65	74
Welbedacht	8	11	8	9	10	7	15	12	11
Shepherd's Field	-	7	9	4	5	9	0	15	13
SANCA Thembilitsha	-	-	-	-	-	4	18	0	0
Bethesda	-	-	-	-	-	-	1	0	0
Family Outreach Ministries	-	-	-	-	-	-	-	8	2
Total no of persons treated	N=384	N=515	N=450	N=505	N=418	N=464	N=318	N=570	N=457

A total of 457 patients were treated at the Port Elizabeth treatment centres. Data from Thembilitsha was not submitted in time for this report, but is included in the SACENDU Brief.

Table 60: First time admissions (Port Elizabeth)

	Jan-Jun 2002	Jul-Dec 2002	Jan-Jun 2003	Jul-Dec 2003	Jan-Jun 2004	Jul-Dec 2004	Jan-Jun 2005	Jul-Dec 2005	Jan-Jun 2006	Jul-Dec 2006
	%	%	%	%	%	%	%	%	%	%
Yes	87	81	74	67	76	70	78	78	74	74
No	13	19	26	33	24	30	22	22	26	26

74% of the treatment population reported that it was their first admission.

Table 61: Types of treatment received (Port Elizabeth)

	Jul-Dec 2002	Jan-Jun 2003	Jul-Dec 2003	Jan-Jun 2004	Jul-Dec 2004	Jan-Jun 2005	Jul-Dec 2005	Jan-Jun 2006	Jul-Dec 2006
	%	%	%	%	%	%	%	%	%
Inpatient	1	18	18	15	18	20	36	26	26
Outpatient	99	82	82	85	82	80	64	74	74
Both	0	0	0	0	0	0	0	0	0

The majority of patients are seen on an outpatient basis (74%).

Table 62: Referral sources (Port Elizabeth)

	Jul-Dec 2002	Jan-Jun 2003	Jul-Dec 2003	Jan-Jun 2004	Jul-Dec 2004	Jan-Jun 2005	Jul-Dec 2005	Jan-Jun 2006	Jul-Dec 2006
	%	%	%	%	%	%	%	%	%
Self/family/friends	47	39	42	45	45	42	48	49	50
Work/employer	19	17	18	16	18	21	20	20	16
Doctor/psychiatrist/nurse (health professional)	7	11	14	12	11	9	16	15	15
Religious body	1	2	2	1	2	1	<1	2	2
Hospital/clinic	8	10	7	9	9	10	3	6	5
Social services/welfare	4	8	6	4	7	7	3	3	4
Court/correctional services/police/lawyer	4	2	4	5	4	3	2	1	3
School	7	8	6	4	2	6	5	3	4
Other e.g. radio, Children's home, adverts	3	4	1	4	2	2	2	1	1

The majority of referrals are from family. Referrals from all sources have been fairly stable over the last 3 review periods. A slight increase in referrals from health professionals (15%) is noted over time.

Table 63: Age distribution (Port Elizabeth)

Years	Jan-Jun 2004		Jul-Dec 2004		Jan-Jun 2005		Jul-Dec 2005		Jan-Jun 2006		Jul-Dec 2006	
	n	%	n	%	n	%	n	%	n	%	n	%
Under 10	-	-	-	-	3	<1	0	0	1	<1	0	0
10-14	11	2	11	3	12	3	9	3	4	1	6	1
15-19	76	15	66	16	78	17	47	15	69	14	83	18
20-24	86	17	66	16	76	16	29	9	84	17	80	17
25-29	68	13	53	13	66	14	43	14	77	16	65	14
30-34	70	14	68	16	67	14	49	15	67	14	63	14
35-39	64	13	50	12	46	10	42	13	52	11	55	12
40-44	59	12	41	10	40	9	34	11	40	8	48	11
45-49	43	8	29	7	45	9	31	10	36	7	35	8
50-54	13	3	20	5	21	4	17	5	25	5	8	2
55-59	12	2	9	2	6	1	11	3	15	3	6	1
60-64	2	<1	1	<1	7	1	2	<1	7	2	2	<1
65-69	1	<1	3	<1	0	0	0	0	4	1	4	1
70-80	-	-	-	-	-	-	4	1	1	<1	-	-
Age unknown	-	-	1	<1	0	0	0	0	0	0	2	<1

The majority of patients treated were in the age group 15-29 years (228 patients).

Table 64: Population Profile (Port Elizabeth)

	Jan- Jun 2003	Jul- Dec 2003	Jan- Jun 2004	Jul- Dec 2004	Jan- Jun 2005	Jul- Dec 2005	Jan- Jun 2006	Jul- Dec 2006
	%	%	%	%	%	%	%	%
<i>GENDER</i>								
Male	79	82	85	84	80	78	83	81
Female	21	18	15	16	20	22	17	19
<i>ETHNIC GROUP</i>								
African	27	29	28	30	28	34	22	19
Asian	3	3	3	2	7	3	4	3
Coloured	46	42	41	43	44	42	41	46
White	24	26	27	25	25	21	33	32
<i>MARITAL STATUS</i>								
Married (living with spouse)	25	30	29	28	23	30	26	21
Living Together	6	6	8	9	5	12	10	8
Divorced	9	9	8	8	9	8	6	9
Widowed	1	2	2	2	2	3	2	1
Single	55	53	46	48	57	46	56	55
Separated	-	-	-	-	-	<1	0	5
Other	-	-	-	2	1	<1	0	<1
<i>EMPLOYMENT STATUS</i>								
Working full-time	35	34	39	39	39	46	40	37
Working Part-time	3	5	5	3	3	4	4	4
Unemployed	33	40	33	35	33	26	36	39
Intern/Apprentice	<1	3	<1	<1	0	<1	1	1
Scholar/Student	22	15	14	15	17	16	14	14
Disabled	2	1	2	2	1	1	2	1
Housewife	2	1	1	<1	2	2	1	1
Pension/Retired	2	2	2	2	2	3	1	2
Other	-	2	0	2	3	<1	1	1

Table 64 shows the population profile of patients attending treatment centres in Port Elizabeth. The single adult male remains the dominant profile of the individual in treatment. The majority of patients are unemployed (39%).

Table 65: Primary substance of abuse (Port Elizabeth)

	Jan-Jun 2002	Jul-Dec 2002	Jan-Jun 2003	Jul-Dec 2003	Jan-Jun 2004	Jul-Dec 2004	Jan-Jun 2005	Jul-Dec 2005	Jan-Jun 2006	Jul-Dec 2006
	%	%	%	%	%	%	%	%	%	%
Alcohol	45	55	46	51	48	45	47	59	46	39
Dagga	19	13	16	12	15	13	12	14	16	15
Dagga/Mandrax	29	25	32	26	24	25	20	9	9	9
Cocaine	1*	<1*	2*	2*	6*	6	3	3	22*	4
Crack						3	9	9		20
Ecstasy	<1	1	<1	2	3	1	<1	0	2	1
OTC/PRE ¹	4	4	5	5	3	3	5	6	3	4
Polysubstance	0	0	<1	<1	0	0	0	0	0	0
Heroin	-	<1	0	0	2	3	2	<1	2	3
Ephedrine	-	-	-	1	0	0	0	0	0	0
Inhalants	-	-	-	1	0	0	<1	0	<1	<1
Nicotine	2	0	0	<1	0	0	0	0	0	<1
Methamphetamine ('Tik')	-	-	-	-	-	-	1	0	1	4
Khat	-	-	-	-	-	-	<1	0	0	0
Other	<1	0	<1	0	0	<1	0	0	0	0

*Crack/cocaine combined

¹Over the counter or prescription medicines

Alcohol remains the primary substance of abuse (39%). 20% of patients reported having crack as their primary substance of abuse. 18 patients reported crystal methamphetamine ('tik') abuse.

Table 66: Frequency of use of primary substance of abuse (Port Elizabeth)

	Jan-Jun 2004	Jul-Dec 2004	Jan-Jun 2005	Jul-Dec 2005	Jan-Jun 2006	Jul-Dec 2006
	%	%	%	%	%	%
Daily	52	59	58	62	60	48
2-6 times a week	37	33	32	31	27	35
Once a week or less	8	8	9	5	7	9
Not used in past month	2	<1	1	1	6	8

Table 67: Age at which primary substance of abuse first used or experimented with (Port Elizabeth)

Years	Jan-Jun 2004		Jul-Dec 2004		Jan-Jun 2005		Jul-Dec 2005		Jan-Jun 2006		Jul-Dec 2006	
	n	%	n	%	n	%	n	%	n	%	n	%
5-10	-	-	3	<1	11	2	4	1	1	<1	6	1
11-19	339	67	275	66	290	63	178	57	280	58	267	58
20-29	126	25	103	25	117	25	85	27	151	31	126	28
30-39	26	5	26	6	39	8	26	8	39	8	40	9
40-49	11	2	7	3	13	3	8	3	8	2	13	3
50-60	3	<1	1	<1	2	<1	5	2	2	<1	3	<1
Age unknown	-	-	3	<1	-	-	7	2	1	<1	2	<1

The majority of users (primary substance of abuse) reported having started abusing drugs between the ages of 10-19 years.

Table 68: Gender by primary substance of abuse (Port Elizabeth)

	Jan-Jun 2004		Jul-Dec 2004		Jan-Jun 2005		Jul-Dec 2005		Jan-Jun 2006		Jul-Dec 2006	
	%		%		%		%		%		%	
	M	F	M	F	M	F	M	F	M	F	M	F
Alcohol	84	16	84	16	75	25	77	23	81	19	78	22
Dagga/Mandrax	94	6	94	6	95	5	97	3	95	5	95	5
Dagga	88	12	83	17	93	7	93	7	96	4	87	13
Crack	86	14	100	0	91	9	82	18	78	22	85	15
Cocaine	85	15	80	20	83	17	75	25	76	24	72	28
Ecstasy	69	31	67	33	100	0	0	0	86	14	100	0
OTC	50	50	21*	79*	60	40	20	80	67	33	50	50
PRE	31	69			12	88	14	86	33	67	38	62
Heroin	73	27	75	25	68	33	100	0	100	0	54	46
Inhalants	0	0	0	0	0	0	0	0	100	0	100	0
Ephedrine	0	0	0	0	0	0	0	0	0	0	0	0
Methamphetamine ('Tik')	-	-	-	-	50	50	0	0	80	20	89	11

*OTC/PRE combined + Crack/cocaine combined

Very few Mandrax patients are female, whereas the majority of patients treated for over-the-counter or prescription medication abuse are females.

Table 69: Race by primary substance of abuse (Port Elizabeth)

	AFRICAN			COLOURED			ASIAN			WHITE		
	%			%			%			%		
	Jul-Dec 2005	Jan-Jun 2006	Jul-Dec 2006	Jul-Dec 2005	Jan-Jun 2006	Jul-Dec 2006	Jul-Dec 2005	Jan-Jun 2006	Jul-Dec 2006	Jul-Dec 2005	Jan-Jun 2006	Jul-Dec 2006
Alcohol	42	31	29	36	38	43	<1	2	<1	21	29	27
Dagga/Mandrax	41	24	28	51	69	61	7	0	2	0	7	9
Dagga	36	23	23	45	46	49	5	4	3	14	27	26
Crack	0	4	4	50	45	54	7	9	7	43	42	34
Cocaine	13	0	0	50	12	17	0	0	0	37	88	83
Ecstasy	0	0	0	0	29	20	0	0	0	0	71	80
OTC	0	0	0	80	0	0	0	0	0	20	100	100
PRE	0	17	6	50	58	31	7	8	13	43	17	51
Heroin	0	12	0	0	13	15	0	0	8	0	75	77
Methamphetamine ('Tik')	0	0	0	0	20	61	0	40	0	0	40	39
Khat	0	0	0	0	0	0	0	0	0	0	0	0
Inhalants	0	100	0	0	0	0	0	0	0	0	0	100

*OTC/PRE combined

Alcohol abuse is most dominant amongst the Black and Coloured population, with crack abuse evenly distributed between the White and Coloured population groups. Cocaine and Heroin abuse is dominant in the White population.

Table 70: Average/Mean age by Primary Substance (Port Elizabeth)

	Jul-Dec 2004	Jan-Jun 2005	Jul-Dec 2005	Jan-Jun 2006	Jul-Dec 2006
	Mean age of Patients	Mean age of Patients	Mean age of Patients	Mean age of Patients	Mean age of Patients
Alcohol	38	36	38	39	37
Dagga/ Mandrax	26	25	25	26	31
Dagga	21	22	21	21	20
Ecstasy	-	-	-	24	28
Cocaine	27	28	23	29	28
Crack	25	27	27	26	27
OTC	33*	39*	41	35	41
PRE			40	37	39
Heroin	25	28	24	25	25
Inhalants	-	-	-	49	14
Ephedrine	-	-	-	0	0
Methamphetamine ('Tik')	-	24	-	29	22

*OTC/PRE Combined †Cocaine/Crack combined

Patients treated for alcohol, prescription and over-the-counter medicines are on average older than those treated for other more commonly used drugs such as cannabis, crack and Ecstasy. The mean ages of crack, cocaine and heroin patients falls between the ages of approximately 25-29 years.

Table 71: Mode of use for primary drug (Port Elizabeth)

	Jul-Dec 2003		Jan-Jun 2004		Jul-Dec 2004		Jan-Jun 2005		Jul-Dec 2005		Jan-Jun 2006		Jul-Dec 2006	
	n	%	n	%	n	%	n	%	n	%	n	%	n	%
Swallowed	233	57	276	55	215	51	239	52	206	65	241	50	206	45
Smoked	164	40	215	43	176	42	204	44	111	35	218	45	232	51
Snorted	4	1	9	2	20*	5*	14*	3*	0	0	20*	4*	13*	3*
Sniffed	7	2	0	0					0	0				
Injected	1	<1	5	1	7	2	7	2	1	<1	3	1	5	1
Other/ Combination	-	-	-	-	-	-	-	-	-	-	-	-	1	<1

*Snorted/sniffed combined

Swallowing and smoking remain the more common methods of using drugs.

Table 72: Secondary substance of abuse (Port Elizabeth)

	Jan-Jun 2004		Jul-Dec 2004		Jan-Jun 2005		Jul-Dec 2005		Jan-Jun 2006		Jul-Dec 2006	
	n	%	n	%	n	%	n	%	n	%	n	%
Alcohol	53	35	46	34	52	31	29	36	45	25	39	21
Dagga/Mandrax	21	14	17	13	37	22	6	7	28	16	32	17
Dagga	29	19	23	17	22	13	21	26	36	20	47	26
Cocaine	10	7*	5	4	3	2	2	3	19	11	16	9
Crack			17	13	23	14	14	18	19	11	23	12
Ecstasy	17	11	13	10	6	4	1	1	10	6	10	5
LSD	2	1	0	0	0	0	1	1	4	2	3	2
OTC	3	2	4	3	1	<1	2	3	0	0	2	1
PRE	4	3	2	2	9	5	4	5	0	0	3	2
Heroin	1	4	5	4	1	<1	0	0	7	4	4	2
Inhalants	0	0	0	0	12	7	0	0	0	0	0	0
Khat	-	-	1	1	0	0	0	0	6	3	1	<1
Polysubstance	1	1	0	0	1	<1	0	0	0	0	0	0
Methamphetamine ('Tik')	-	-	-	-	-	-	-	-	-	-	4	2

*Cocaine/Crack combined

#Ecstasy/LSD combined

+ OTC/PRE Combined

Table 73: Frequency of use of secondary substance of abuse (Port Elizabeth)

	Jul-Dec 2004		Jan-Jun 2005		Jul-Dec 2005		Jan-Jun 2006		Jul-Dec 2006	
	n	%	n	%	n	%	n	%	n	%
Daily	27	20	44	27	29	36	60	34	45	25
2-6 times a week	52	39	75	45	34	43	51	29	62	35
Once a week or less frequent	41	31	38	23	13	16	41	23	39	21
Not used in past month	13	10	9	5	4	5	28	14	34	19

25% of patients reported to using their secondary substance of abuse daily.

Table 74: Age at which secondary substance of abuse first used (Port Elizabeth)

Years	Jul-Dec 2004		Jan-Jun 2005		Jul-Dec 2005		Jan-Jun 2006		Jul-Dec 2006	
	n	%	n	%	n	%	n	%	n	%
Under 10	-	-	2	1	3	4	1	<1	0	0
11-19	89	67	109	74	49	61	114	64	127	69
20-29	40	30	42	25	18	22	52	29	37	21
30-39	1	1	12	7	4	5	9	5	12	8
40-49	2	1	3	2	2	3	0	0	3	2
50-59	1	1	1	<1	2	3	1	<1	0	0
Unknown	-	-	-	-	2	3	0	0	0	0
TOTAL	133	100	169	100	80	100	177	100	179	100

The majority of patients (69%) reported having first used their secondary substance of abuse between the ages of 11-19 years.

Table 75: Tertiary substance of abuse (Port Elizabeth)

	Jul-Dec 2003		Jan-Jun 2004		Jul-Dec 2004		Jan-Jun 2005		Jul-Dec 2005		Jan-Jun 2006		Jul-Dec 2006	
	n	%	n	%	n	%	n	%	n	%	n	%	n	%
Alcohol	7	16	10	22	9	23	9	25	2	15	18	24	16	22
'White Pipe'	1	2	7	16	7	18	6	15	1	8	6	8	10	13
Dagga	0	0	4	9	4	11	2	6	1	8	4	5	12	16
Cocaine	5	11	6	13	2	5	4	11	3	23	8	11	6	8
Crack	-	-	8	18	4	11	4	11	1	8	9	12	9	12
Heroin	1	2	1	2	2	5	1	2	1	8	9	12	0	0
Ecstasy	10	23	6	13	8	21	8	22	4	31	9	12	9	12
Ecstasy/ Dagga	-	-	-	-	-	-	1	3	0	0	0	0	0	0
OTC/PRE	2	4	2	4	1	3	1	3	0	0	3	4	4	6
Metham- phetamine (‘Tik’)	-	-	-	-	-	-	-	-	-	-	5	7	3	4
Moonflower	-	-	-	-	1	3	0	0	0	0	0	0	0	0
LSD	-	-	1	2	0	0	0	0	0	0	3	4	5	7
Other	-	-	-	-	1	3	0	0	0	0	0	0	0	0

Table 76: Frequency of use of tertiary substance of abuse (Port Elizabeth)

	Jan-Jun 2004	Jul-Dec 2004	Jan-Jun 2005	Jul-Dec 2005	Jan-Jun 2006	Jul-Dec 2006
	%	%	%	%	%	%
Daily	9	18	14	15	36	23
2-6 times a week	22	34	14	38	30	29
Once a week or less frequently	36	21	50	38	18	22
Not used in past month	33	26	21	8	16	26

Table 77: Source of payment (Port Elizabeth)

	Jul-Dec 2002	Jan-Jun 2003	Jul-Dec 2003	Jan-Jun 2004	Jul-Dec 2004	Jan-Jun 2005	Jul-Dec 2005	Jan-Jun 2006	Jul-Dec 2006
	%	%	%	%	%	%	%	%	%
Self	35	28	34	40	40	37	37	41	37
Medical Aid	24	18	10	21	19	15	20	12	10
Family	30	31	35	27	26	37	32	36	38
Friends	1	1	<1	<1	<1	<1	1	<1	<1
Employer	2	4	5	4	5	5	7	7	9
Church Minister	0	0	0	0	0	0	0	0	0
Unknown	8	11	14	5	5	3	4	2	4
Other	<1	6	0	4	4	3	<1	1	2
State	-	-	<1	<1	<1	<1	<1	0	<1

Family and 'self' are the most common sources of payment.

Table 78: Treatment population – suburb of residence (Port Elizabeth)

	Jul-Dec 2004		Jan-Jun 2005		Jul-Dec 2005		Jan-Jun 2006		Jul-Dec 2006		
	n	%	n	%	n	%	n	%	n	%	
<i>Metro Substructure</i>											
Bethelsdorp, Gelvandale, Korsten, Malabar	127	30	144	31	94	39	123	26	171	37	
Roadhouse, New Brighton, Motherwell	92	22	77	16	52	16	65	13	52	11	
Uitenhage, Despatch	74	18	69	15	38	12	49	10	54	12	
North End, Mount Road, Central	42	10	41	9	48	15	25	5	19	4	
Walmer, Kabega Park, Summerstrand	41	10	80	17	22	7	81	17	40	9	
Port Elizabeth	-	-	-	-	-	-	80	17	66	14	
<i>Other parts of the Province</i>											
Cape Town, George, King Williams Town, Humansdorp and Maclear	24	6	46	10	64	20	54	11	53	12	
Unknown	18	4	1	<1	0	0	5	1	2	<1	

SUBSTANCE ABUSE FOR PERSONS UNDER 20 YEARS

Table 79: Primary substance of abuse of patients younger than 20 years (Port Elizabeth)

	Jan-Jun 2004		Jul-Dec 2004		Jan-Jun 2005		Jul-Dec 2005		Jan-Jun 2006		Jul-Dec 2006	
	n	%	n	%	n	%	n	%	n	%	n	%
Alcohol	9	10	8	10	24	27	13	23	17	23	14	16
Dagga/Mandrax	32	37	30	39	27	30	9	16	8	11	4	5
Dagga	37	42	32	41	31	35	29	52	35	47	47	53
Cocaine	1	1	4	5	1	1	1	2	0	0	2	2
Crack	1	1	2	3	4	4	4	7	9	12	14	16
Ecstasy	5	6	1	1	0	0	0	0	2	3	0	0
Heroin	1	1	0	0	0	0	0	0	1	1	0	0
PRE	1	1	1	1	0	0	0	0	1	1	0	0
Inhalants	0	0	0	0	1	1	0	0	0	0	1	1
Metham-phetamine('Tik')	-	-	-	-	-	-	-	-	1	1	6	7
TOTAL	87	100	78	100	90	100	56	100	74	100	89	100

Dagga remains the most common primary substance for patients younger than 20 years, followed by crack and alcohol.

Table 80: Gender of patients abusing substances younger than 20 years (Port Elizabeth)

	Jul-Dec 2003		Jan-Jun 2004		Jul-Dec 2004		Jan-Jun 2005		Jul-Dec 2005		Jan-Jun 2006		Jul-Dec 2006	
	n	%	n	%	n	%	n	%	n	%	n	%	n	%
Male	66	88	73	84	68	87	67	75	45	80	63	85	69	78
Female	9	12	14	16	10	13	23	25	11	20	11	15	20	22

Table 81: Race of patients younger than 20 years (Port Elizabeth)

	Jan-Jun 2004		Jul-Dec 2004		Jan-Jun 2005		Jul-Dec 2005		Jan-Jun 2006		Jul-Dec 2006	
	n	%	n	%	n	%	n	%	n	%	n	%
African	28	32	32	41	28	31	24	43	16	22	13	15
Asian	2	3	3	4	3	3	0	0	1	1	3	3
Coloured	35	40	29	37	52	58	27	48	43	58	47	52
White	22	25	14	18	7	8	5	9	14	19	26	30
TOTAL	87	100	78	100	90	100	56	100	74	100	89	100

The majority of youths seeking treatment are from the Coloured population.

Table 82: Gender by primary substance of abuse of patients younger than 20 years (Port Elizabeth)

	Jul-Dec 2005				Jan-Jun 2006				Jul-Dec 2006			
	Male		Female		Male		Female		Male		Female	
	n	%	n	%	n	%	n	%	n	%	n	%
Alcohol	7	54	6	46	13	76	4	24	8	57	6	43
Dagga	26	90	3	10	34	97	1	3	40	85	7	15
Dagga/Mandrax	9	100	0	0	7	87	1	13	4	100	0	0
Cocaine	1	100	0	0	0	0	0	0	1	50	1	50
Crack	2	50	2	50	5	56	4	44	9	64	5	36
Ecstasy	-	-	-	-	2	100	0	0	0	0	0	0
Heroin	-	-	-	-	1	100	0	0	0	0	0	0
Inhalants	0	0	0	0	1	100	0	0	1	100	0	0
Methamphetamine ('Tik')	-	-	-	-	1	100	0	0	5	83	1	17
PRE	-	-	-	-	0	0	1	100	0	0	0	0

Table 83: Race, by primary substance of abuse of patients younger than 20 years (Port Elizabeth)

	AFRICAN				COLOURED				ASIAN				WHITE			
	Jan-Jun 2006		Jul-Dec 2006		Jan-Jun 2006		Jul-Dec 2006		Jan-Jun 2006		Jul-Dec 2006		Jan-Jun 2006		Jul-Dec 2006	
	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%
Alcohol	3	18	0	0	11	65	10	71	0	0	0	0	3	18	4	29
Dagga/Mandrax	1	13	4	100	7	87	0	0	0	0	0	0	0	0	0	0
Dagga	11	31	7	15	19	54	29	62	1	3	1	2	4	11	10	21
Crack	0	0	2	14	4	44	3	22	0	0	2	14	5	56	7	50
Cocaine	0	0	0	0	0	0	1	50	0	0	0	0	0	0	1	50
Ecstasy	0	0	0	0	1	50	0	0	0	0	0	0	1	50	0	0
Heroin	0	0	0	0	1	100	0	0	0	0	0	0	0	0	0	0
PRE	1	100	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Inhalants	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	100
Methamphetamine ('Tik')	0	0	0	0	0	0	3	50	0	0	0	0	1	100	3	50